Questel QPAT Page 1 of 2

Patent Number: CA2107376 A1 19940403

Image unavailable Check for mosalc

Translate this page

Process for producing low viscosity lubricating base oil having high viscosity index.

(EP-590673)

A process for the production of a high viscosity index, low viscosity lubricating base oil having a kinematic viscosity of 3.0 to 7.5 mm<2>/s at 100 DEG C, a viscosity index of 120 or more and a pour point of -10 DEG C or less, while simultaneously producing a high quality fuel oil, which includes subjecting a mixture stock oil of (a) at least one of a heavy gas oil fraction and a vacuum gas oil fraction and (b) a slack wax to hydrocracking in the presence of an amorphous silica alumina catalyst, separating the cracked product into a fuel oil fraction and a lubricating oil fraction by atmospheric distillation, and subsequently subjecting the lubricating oil fraction to dewaxing, optionally applying at least one of solvent refining and hydrofinishing.

Inventor(s): TAKITO TETSUO

T 1/1

IWATA MOTOHIKO YOSHIZUMI YUJI KINOSHITA YASUO

Patent Assignee: MITSUBISHI OIL CO

MITSUBISHI OIL CO LIMITED

Orig. Patent Assignee: Mitsubishi Oil Company, Limited; no. 2-4, Toranomon 1-chome; Minato-

ku Tokyo (JP)

FamPat family	Publication Number	Kind Publication date		Links				
	CA2107376	A1	19940403				ិងនេះ នេះន	
	STG: AP:		cation laid open CA-2107376 19930930					
	EP0590673	A1	19940406				<u>अध्य</u>	
	STG:		cation published with					
	AP:		EP-0115838 19930930					
	AU4876793	Α	19940414				ិង្គាន នាន	
	STG: AP:		n to public inspection AU-0048767 19931001					
	<u>JP6116572</u>	Α	19940426					
	STG:	Doc.	laid open to publ.					4:-
	AP:	1992	JP-0287061 19921002					
	AU662 2 47	B2	19950824	**	238		% 18€	
	STG:	Pater	nt preceeded by A1					
	US5460713	Α	19951024				98 S	
	STG: AP:	Pater 1993	nt US-01 2 9352 19930930					
	SG48976	A1	19980518					
	STG: AP:	1996	nt Application SG-0002624 0930					w ter
	KR100191688	B1	19990615			<u>a</u>	្សាន ទ្រាន	
	STG: AP:		nt specification KR-002012 <mark>2</mark> 19930928					
	CA2107376	С	19990706				38 38	
	STG:	Pater	nt					
	JP3057125	B2	20000626					

Questel QPAT Page 2 of 2

STG: Grant. Pat. With A from

2500000 on

Priority Details: 1992JP-0287061 19921002

Designated States: (EP-590673)

DE FR GB

@Questel